



# iMail Journal Setup for Office 365

## – ver 1.1



The Crescent Office Park, 3 Eglin Road, Sunninghill, Johannesburg.

PO BOX 342, Strathavon, Sandton 2031 Tel +27112623632 Fax +27866378868 [www.iMail.com](http://www.iMail.com)

VAT 4260108842 REG 1966/005897/07 Executive Directors: David Jacobson & Sam Gelbart Non-Executive Directors: Setumo Mohapi & Julian Sunker



## 1. Purpose

The purpose of this document is to detail how to set-up Journaling Rules on the Office 365 environment.

## 2. Office 365 Journal Configuration

### Adding Remote Domain

- Log on to the **Exchange Administration Center**.
- Navigate to **Mail Flow**
- Click on **Remote Domain** tab
- Click the **+ Icon** to add a new remote domain





new remote domain

Specify a domain that will be considered remote when mail is received.

\*Name:

\*Remote Domain:

Out of Office automatic reply types:  
 None  
 Allow only external Out of Office replies  
 Allow internal Out of Office replies

Automatic replies:  
 Allow automatic replies  
 Allow automatic forwarding

Message reporting:  
 Allow delivery reports  
 Allow non-delivery reports  
 Allow meeting forward notifications

Use rich-text format:  
 Always  
 Never  
 Follow user settings

Supported Character Set  
 MIME character set:

Non-MIME character set:


*Domain linked to your archive instance  
 Example:  
 clientdomain-archive.synaq.com*

- Name the Journal Rule “iMail Journal “
- Remote domain will need to have the domain of the Journal address give to you by iMail  
 Example: [iMaitest-archive.iMail.com](mailto:iMaitest-archive.iMail.com)
- Click **Save** to complete this remote domain addition

### Configuring Journal Rule

- In the **Exchange Administration Center**
- Click on **Compliance Manager**
- Click on **Journal Rules**
- Click on “**Select email address**” in section mentioning “**Send Journal Undeliverable reports to**”  
 Browse for an email address that can receive these reports. Likely an Admin account.
- Click on the **+ icon** to create a new rule





Enter the following information in the fields:

- Send Journal Reports To: SYNAQ Journaling address (e.g. Example email address: [archive@iMailtest-archive.iMail.com](mailto:archive@iMailtest-archive.iMail.com))
- Name: iMail Journal Rule
- If the Message is Sent to or Received From: Select the **"Apply to All Messages"** option.
- Journal the Following Messages: Select the **"All Messages"** option.

Click on the **Save** button.

